

NOTES

NO EXCAVATION (CUT OR FILL) ON SLOPES EXCEEDING 20% SHALL BE ALLOWED FOR THE CREATION OF A BUILDING PAD. THE TERM BUILDING PAD SHALL MEAN THE LEVELING OF AN AREA CREATED BY GRAVING CUT OR CUT AND FILL METHODS UPON WHICH BUILDING CONSTRUCTION SHALL BE PLACED AND SHALL NOT BE INTERPRETED TO PRECLUDE LANDSCAPE TERRACING BY USE OF RETAINING WALLS.

EXCAVATION ON SLOPES BETWEEN 20 TO 30 PERCENT SHALL BE LIMITED TO FOOTINGS, BASEMENT OR LOWER FLOOR RETAINING WALLS, WELL DEVELOPMENT, SEWAGE DISPOSAL SYSTEMS, UTILITY TRENCHING, LANDSCAPE TERRACING, AND DRIVEWAYS.

INTERCEPTOR DITCHES SHALL BE CONSTRUCTED AT THE BASE OF ALL CUT SLOPES (UPPER SIDE OF BUILDING PAD)

ALL CUT SLOPES SHALL BE GRADED 3:1 OR FLATTER, WHERE POSSIBLE, OR OTHERWISE STABILIZED UNLESS THE CUT FACE IS DENSE CLAYEY MATERIAL OR ROCK. ALL FILL SLOPES SHALL BE 3:1 OR FLATTER, TRACK OR SHEEPSFOOT ROLLED ON COMPLETION TO RESULT IN A TIGHT, DIMPLED SURFACE. ALL CUT AND FILL SLOPES SHALL BE REVEGETATED OR OTHERWISE STABILIZED, SATISFACTORY TO THE COUNTY ENGINEER.

ALL BUILDING SITE OR LOT GRADING WORK UNDERWAY DURING RAINY WEATHER SHALL CONTROL EROSION BY USE OF PLASTIC SHEETING, STRAW, OR BY OTHER APPROPRIATE METHODS.

DRIVEWAYS SHALL NOT TRAVERSE SLOPES GREATER THAN 15% EXCEPT WHERE THIS WOULD BE PRELUSIVE OF DRIVEWAY CONSTRUCTION, AND SHALL NOT TRAVERSE SLOPES GREATER THAN 25%. SATISFACTORY TO THE COUNTY ENGINEER.

DRIVEWAYS SHALL NOT EXCEED 15% GRADE AND SHALL BE SURFACED WITH IMPORTED ROCK BASE, CONSTRUCTED TO THE STANDARDS IN SECTION 9-4.606 EXCEPT THOSE OF SUBSECTION (D), AND AS PROVIDED IN SECTION 8-11.03 OF THE PLUMAS COUNTY CODE.

ALL SLOPES RESULTING FROM DRIVEWAY CONSTRUCTION, LESS THAN 4' IN HEIGHT SHALL BE GRADED 3:1 OR FLATTER (WHEREVER POSSIBLE) AND REVEGETATED OR OTHERWISE STABILIZED. SATISFACTORY TO THE COUNTY ENGINEER.

ALL SLOPES, RESULTING FROM DRIVEWAY CONSTRUCTION, GREATER THAN 3:1 SHALL BE REVEGETATED OR THE SURFACE OTHERWISE STABILIZED, UNLESS THE CUTFACE IS DENSE CLAYEY MATERIAL OR ROCK.

ALL FILL SLOPES SHALL BE 3:1 OR FLATTER, TRACK OR SHEEPSFOOT ROLLED ON COMPLETION, TO RESULT IN A TIGHT, DIMPLED SURFACE, AND BE REVEGETATED.

WHERE OTHER METHODS OF STABILIZATION ARE USED, THEY SHALL BE APPROVED AND EXECUTED SATISFACTORY TO THE COUNTY ENGINEER.

THE DETERMINATION OF THE PRESENCE OF DENSE CLAYEY MATERIAL OR ROCK SHALL BE MADE BY THE COUNTY ENGINEER.

REVEGETATION SHALL BE DONE IN CONFORMANCE WITH THE APPROVED REVEGETATION PLAN.

DRIVEWAY PLANS SHALL BE SUBMITTED WITH BUILDING PERMIT APPLICATION. DRIVEWAYS SHALL BE COMPLETED BEFORE FINAL INSPECTION.

EROSION CONTROL FOR FIXED WORKS SHALL CORRESPOND WITH THE EROSION CONTROL PLAN, BUT SHALL BE STAMPED AND SIGNED BY A PROFESSIONAL ENGINEER, AND SHALL BE APPROVED BY THE COUNTY ENGINEER. CORRESPONDENCE SHALL BE DETERMINED BY THE COUNTY ENGINEER AND THE PLANNING DEPARTMENT.

A BUILDING ENVELOPE OF 12,272 SQUARE FEET SHALL BE ESTABLISHED FOR EACH LOT.

THE BUILDING ENVELOPE SHALL BE LOCATED AT THE TIME OF APPLICATION FOR THE FIRST BUILDING PERMIT FOR AN ABOVE GROUND STRUCTURE, AND THE LOCATION SHALL BE ACCEPTABLE TO THE PLANNING DEPARTMENT FOR ALL MITIGATION AND ZONING REQUIREMENTS.

ALL BUILDING IMPROVEMENTS FOR DWELLING UNITS (MAIN RESIDENCES) SHALL BE WITHIN BUILDING ENVELOPES.

THE UNIMPROVED AREA OF BUILDING ENVELOPES SHALL BE THE TRANSITION AREA AND SHALL MAINTAIN NATURAL VEGETATION IN ACCORDANCE WITH PUBLIC RESOURCES CODE SECTION 4291 AND THE COMPATIBLE PLANT LIST DISCUSSED BELOW, AND THAT THE INTRODUCTION OF VEGETATION NOT INDIGENOUS TO THE AREA SHALL BE PROHIBITED IN THE TRANSITION AREA.

SMALL ANIMAL HUSBANDRY, AS DEFINED IN TITLE 9 OF THE PLUMAS COUNTY CODE, SHALL NOT BE PERMITTED.

FENCING SHALL NOT BE PERMITTED WITHIN THE DEER MOVEMENT CORRIDORS.

CLEARING OUTSIDE OF ENVELOPES SHALL BE LIMITED TO REMOVAL REQUIRED BY THE CALIFORNIA DEPARTMENT OF FORESTRY AND FIRE PROTECTION TO COMPLY WITH FIRE PROTECTION STANDARDS; REMOVAL OF DISEASED AND DEAD VEGETATION; REMOVAL FOR PERMITTED LOT IMPROVEMENTS; AND THAT SELECTIVE THINNING OF TREES TO PROVIDE VIEW CORRIDORS MAY BE PERMITTED SUBJECT TO REVIEW BY THE DESIGN REVIEW COMMITTEE.

ALL PLANTING IN TRANSITION AREAS AND OUTSIDE OF BUILDING ENVELOPES SHALL BE CONSISTENT WITH THE APPROVED PLANT LIST AS APPROVED PLANT BY THE PLANNING DEPARTMENT.

INDICATION OF SIGNIFICANT UP-STREAM SCOURING AND HEAVY SILT DEPOSITS DOWN-STREAM SHALL BE DETERMINED BY THE COUNTY ENGINEER.

ADDITIONAL INFORMATION SHEET

VALLEY RANCH ESTATES

A PLANNED DEVELOPMENT

PHASE No. 1 UNIT No. 4

FOR VALLEY RANCH INVESTORS

PORTION OF SECTION 25, T. 22 N. R. 12 E. M.D.B & M.

PORTION OF SECTION 30, T. 22 N. R. 13 E. M.D.B & M.

PLUMAS COUNTY CALIFORNIA
SCALE 1" = 100' JANUARY, 1991

HAMBY SURVEYING INC.
P.O. BOX 1209
PORTOLA, CA 96122
(916) 832-5571

SHEET 4 OF 4